

CHECK BEING PERFORMED: Custom

ZONES: 200
A/C NUMBER:
REV. DATE: 06/22/06
FREQUENCY: 2C

W/C NUMBER: 520I5303
DATE:
W/O:
JAC CODE:



REFERENCES

C-53-200-01 C-53-210-01 C-53-220-03 520I5303

MECH INSP

- XXXXX 1 CLEAN EXTERIOR OF UPPER HALF OF FUSELAGE AS REQUIRED FOR CORROSION INSPECTION. (ZONE 200)
2 VISUALLY INSPECT ALL THE FOLLOWING PRIMARY AND LISTED SECONDARY STRUCTURE FROM A DISTANCE CONSIDERED NECESSARY TO DETECT EARLY STAGES OF CORROSION. VISUALLY INSPECT ALL FUSELAGE FAILSAFE STRAPS AND LAP JOINTS FOR DISBONDING AND/OR CORROSION.
A INSPECT EXTERIOR OF UPPER HALF FUSELAGE STRUCTURE ABOVE WL 200 (ZONE 200) FOR CORROSION AT THE FOLLOWING STATIONS.

- XXXXX 1 FS 83 THRU FS 378.5
XXXXX 2 FS 378.5 THRU FS 649
XXXXX 3 FS 649 THRU FS 901
XXXXX 4 FS 901 THRU FS 1223
XXXXX 5 FS 1223 THRU FS 1535
XXXXX 6 FS 1535 THRU FS 1860
7 FOR CRACKS, PERMANENT DEFORMATION, OR CORROSION TO PRIMARY STRUCTURE (REF. SRM CHAPTER 51); INITIATE A SERVICE DIFFICULTY REPORT (SDR) (REF. GMM, CHAPTERS 4, 12, AND 16) AND RECORD THE ASSOCIATED NON-ROUTINE NUMBERS BELOW.

Four horizontal lines for data entry.

*****END OF WORKCARD*****