

ZONES: 200  
 A/C NUMBER:  
 REV. DATE: 11/06/07  
 FREQUENCY: 2C

W/C NUMBER: 220F2501      DATE:

## REFERENCES

Figure 1, AMM 24-22-00/201

MECH      INSP

OPERATIONALLY CHECK EMERGENCY EVACUATION SIGNAL SYSTEM  
 AIRPLANE NOTE: IF INSTALLED.

CHECK THAT ALL HORNS SOUND AND LIGHTS FLASH.

MPD ITEM: 25-63-01-2A

XXXXX 1. Operational Test - Flight Compartment EES Panel  
 (Fig.1)

A. Procedure

- (1) Supply the electrical power (Ref 24-22-00).
- (2) Make sure this circuit breaker on the main power distribution panel, P6, is closed:
  - (a) 6C4, EVAC SIGNAL
- (3) Do the steps that follow:
  - (a) Put the COMMAND switch on the flight compartment EES panel to the ON position, and do the steps that follow:
    - 1) Make sure the horns on all of the EES panels operate in the flight compartment and in the passenger compartment.
    - 2) Make sure the EVAC lights on all of the EES panels come on in the flight compartment and in the passenger compartment.
  - (b) Push the HORN SHUTOFF switch at each EES panel, and do the steps that follow:
    - 1) Make sure the applicable horn goes off.
    - 2) Make sure the applicable EVAC light stays on.
  - (c) Put the COMMAND switch on the flight compartment EES panel in the OFF position.
  - (d) Make sure the EVAC lights on all EES panels

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 220F2501 (continued)

MECH: INSP:

---

go off.

XXXXX 2. Operational Test - Passenger Compartment EES Panels  
(Fig. 1)

## A. Procedure

- (1) Supply the electrical power (Ref 24-22-00).
- (2) Make sure this circuit breaker on the main power distribution panel, P6, is closed:
  - (a) 6F2, EVAC SIGNAL
- (3) Put the COMMAND switch on the flight compartment EES panel to the ARM position.
- (4) Do the steps that follow:
  - (a) Push the COMMAND switch on one of the EES panels, and do the steps that follow:
    - 1) Make sure the horns on all of the EES panels come on in the flight compartment and in the passenger compartment.
    - 2) Make sure the EVAC lights on all of the EES panels come on in the flight compartment and in the passenger compartment.
  - (b) Push the same COMMAND switch again, and do the steps that follow:
    - 1) Make sure the horns on all of the EES panels go off in the flight compartment and in the passenger compartment.
    - 2) Make sure the EVAC lights on all of the EES panels go off in the flight compartment and in the passenger compartment.
  - (c) Remove the electrical power if it is not necessary (Ref 24-22-00).

OPERATIONALLY CHECK EMERGENCY EVACUATION SIGNAL SYSTEM

PAGE:3 /3

A/C NUMBER:


CHECK BEING PERFORMED: Cust

W/C NUMBER: 220F2501 (continued)


MECH: INSP:

---

\*\*\*\*\* END OF WORKCARD \*\*\*\*\*



**FLIGHT COMPARTMENT  
OVERHEAD PANEL**



PASSENGER COMPARTMENT EES PANEL

(A)

Emergency Evacuation Signal Panels