

CHECK BEING PERFORMED: Custom

ZONES: 211 212 221 222

W/C NUMBER: 220I2501

DATE:

A/C NUMBER:

W/O:

REV. DATE: 07/11/06

JAC CODE:

FREQUENCY: 1C

MECH INSP

MPD ITEMS: 0600-211-01Z, 0600-212-01Z, 0600-221-01Z,
 0600-222-01Z, 0600-231-01Z, 0600-232-01Z,
 0600-241-01Z, 0600-242-01Z, 0600-251-01Z,
 0600-252-01Z

FLIGHT COMPARTMENT AND CABIN EQUIPMENT AND INTERIOR INSPECTION.

ZONES AFFECTED: 211, 212, 221, 222, 231, 232, 241, 242, 251, 252

1. FLIGHT COMPARTMENT

- XXXXX _____ A. PERFORM INTERNAL SURVEILLANCE OF THE FLIGHT COMPARTMENT.
- XXXXX _____ B. PERFORM A VISUAL CHECK OF EQUIPMENT AND FURNISHINGS LISTED
 BELOW IN THE FLIGHT COMPARTMENT FOR CONDITION AND SECURITY.
- |XXXX _____ (1) Instrument panels and consoles.
- XXXXX _____ (2) Lining and floor covering.
- XXXXX _____ (3) Stowage compartment access doors for proper operation.
- XXXXX _____ (4) Captain and f/o foot rests for presence and condition
 of non-slip material.
- XXXXX _____ (5) Circuit breaker guards for damage and security.
- XXXXX _____ (6) Air conditioning/heat air vents for proper operation
 and damage.
- XXXXX _____ (7) Floor vents, cooling vents, and associated filters.

2. FORWARD GALLEY AND LAVATORIES

- XXXXX _____ A. PERFORM INTERNAL SURVEILLANCE OF THE ZONE.
- XXXXX _____ B. PERFORM A VISUAL CHECK OF THE CONDITION AND SECURITY OF THE
 FOLLOWING GALLEY ITEMS:
- XXXXX _____ (1) Galley compartment doors - operate freely, close
 completely, and safety latch prevents door from opening.
 Check that doors that open and close in an egress path,
 close and latch without assistance if springs are
 installed on these compartment doors and access panels.

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 220I2501 (continued)

MECH: INSP:

XXXXX _____ (2) Galley sliding drawers/racks - operate freely, close and retract freely, and safety latch prevents drawer/rack from opening/extending.

XXXXX _____ (3) Galley beverage cart safety latches- Check condition and operation of all beverage cart safety latches that are installed on the galley.

XXXXX _____ (4) L1 & R1 doors for loose or damaged door lining and /or door hinge covers and adjacent trim. Ensure door warning straps are in serviceable condition.

(a) Escape slide and containers - check that the containers are not damaged. Ensure M-21 placard installed/completed. Check girt bar view ports at bottom of slide container for unobstructed view, and security.

C. PERFORM A VISUAL CHECK OF THE CONDITION AND SECURITY OF THE FOLLOWING LAVATORY ITEMS:

- (1) Lavatory door - Check that door closes securely and properly. Verify that door has no sharp metal edges and that all seals are present. Check for presence of ash tray on outside of door and for presence of "NO SMOKING" placards are on outside of door and on inside of door. Check that door lock operates properly and that light in lavatory turns brighter when door is locked.
- (2) Sink and cabinet - Check for the operation of the hot and cold water faucets, soap dispenser, sink drain, all cabinet doors and required placards. Pay particular attention to lower trash compartment door for presence and condition of seals.
- (3) Baby changing table-Check for security, operation, and condition of baby changing table(if installed).
- (4) Smoke detectors for presence and security.
- (5) Toilets - Check for operation of flushing system. Check seat and lid for security and operation.

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 220I2501 (continued)

MECH: INSP:

(6) Toilet lid bumper- Ensure toilet lid bumper is present on wall aft of toilet or on lower surface of baby changing table.

(7) Flush handle or button- Check toilet flush handle or button for operation and security. Check flush handle shroud for condition and security.

(8) Accomplish steps 2.C. (1)-(7) on following lavatories.

XXXXX _____ (a) Lavatory A

XXXXX _____ (b) Lavatory P

NOTE: Lavatory P is on 757-300 A/C only. N/A if not configured.

3. MAIN CABIN SEATING AREA

XXXXX _____ A. PERFORM AN INTERNAL SURVEILLANCE OF THE ZONE.

B. CHECK THE CONDITION AND SECURITY OF THE FOLLOWING CABIN ITEMS:

XXXXX _____ (1) Cabin ceiling and sidewall panels- Check for loose or damaged panels, including air return grills. Check sidewall mounted literature pockets for cracks, damage, and security.

XXXXX _____ (2) Bulkheads and windscreens- Check for condition and security of bulkheads, windscreens, attached literature pockets, and required placards for security and legibility.

XXXXX _____ (3) Window shades - Includes condition and operation.

XXXXX _____ (4) Overhead stowage bins for the following:

(a) Proper alignment and operation.

(b) Holes or any surface damage on interior of stowage bins.

CABIN EQUIPMENT AND ZONAL INSPECTION

PAGE: 4 / 7

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 220I2501 (continued)

MECH: INSP:

- (c) Legibility, security, and presence of stowage bin placards on both interior and exterior surfaces.
 - (d) Overhead stowage bin hinge covers for condition and security.
 - (e) Damaged or missing bumpers(if installed).
 - (f) Missing or damaged decorative plugs.
- XXXXX _____ (5) Loose or missing trim strips.
- XXXXX _____ (6) L2 & R2 doors for loose or damaged door lining and/or door hinge covers and adjacent trim. Ensure door warning straps are in serviceable condition.
- (a) Escape slide and containers - check that the containers are not damaged. Ensure M-21 placard installed/completed. Check girt bar view ports at bottom of slide container for unobstructed view, and security.
- XXXXX _____ (7) Proper operation of cabin lighting system with particular attention to psu reading lights and ordinance signs for cleanliness, and security.
- XXXXX _____ (8) Vinyl seat track covers- Check for proper installation, cracked and/or missing sections of track covers.
- XXXXX _____ (9) On-board wheelchair P/N 9000 CCN2520892, strap attachment, and wheelchair placard.
- XXXXX _____ (10) Overwing emergency exit hatch doors for loose or damaged door lining and/or door hinge covers and adjacent trim.
- NOTE: Only applicable to 757-300 aircraft.
- XXXXX _____ (11) # 3 emergency exit doors (aft of the wings and forward of the L4 & R4 doors)for loose or damaged door lining and/or door hinge covers and adjacent trim.

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 220I2501 (continued)

MECH: INSP:

C. PERFORM A VISUAL CHECK OF THE CONDITION AND SECURITY OF THE FOLLOWING LAVATORY ITEMS:

- (1) Lavatory door - Check that door closes securely and properly. Verify that door has no sharp metal edges and that all seals are present. Check for presence of ash tray on outside of door and for presence of "NO SMOKING" placards are on outside of door and on inside of door. Check that door lock operates properly and that light in lavatory turns brighter when door is locked.
- (2) Sink and cabinet - Check for the operation of the hot and cold water faucets, soap dispenser, sink drain, all cabinet doors and required placards. Pay particular attention to lower trash compartment door for presence and condition of seals.
- (3) Baby changing table-Check for security, operation, and condition of baby changing table(if installed).
- (4) Smoke detectors for presence and security.
- (5) Toilets - Check for operation of flushing system. Check seat and lid for security and operation.
- (6) Toilet lid bumper- Ensure toilet lid bumper is present on wall aft of toilet or on lower surface of baby changing table.
- (7) Flush handle or button- Check toilet flush handle or button for operation and security. Check flush handle shroud for condition and security.
- (8) Accomplish steps 3.C. (1)-(7) on following lavatories.

- XXXXX _____ (a) Lavatory B
- XXXXX _____ (b) Lavatory C
- XXXXX _____ (c) Lavatory D

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 220I2501 (continued)

MECH: INSP:

4. AFT GALLEY AREA

XXXXX _____ A. PERFORM INTERNAL SURVEILLANCE OF THE ZONE.

B. PERFORM A VISUAL CHECK OF THE CONDITION AND SECURITY OF THE FOLLOWING GALLEY ITEMS:

XXXXX _____ (1) Galley compartment doors - operate freely, close completely, and safety latch prevents door from opening. Check that doors that open and close in an egress path, close and latch without assistance if springs are installed on these compartment doors and access panels.

XXXXX _____ (2) Galley sliding drawers/racks - operate freely, close and retract freely, and safety latch prevents drawer/rack from opening/extending.

XXXXX _____ (3) Galley beverage cart safety latches- Check condition and operation of all beverage cart safety latches that are installed on the galley.

XXXXX _____ (4) L4 & R4 doors for loose or damaged door lining and/or door hinge covers and adjacent trim. Ensure door warning straps are in serviceable condition.

(a) Escape slide and containers - check that the containers are not damaged. Ensure M-21 placard installed/completed. Check girt bar view ports at bottom of slide container for unobstructed view, and security.

5. EMERGENCY MEDICAL EQUIPMENT

A. INSPECT THE FOLLOWING EMERGENCY MEDICAL EQUIPMENT FOR PRESENCE, SECURITY, SEAL INTEGRITY, AND EXPIRATION DATES. ANY KIT THAT WILL EXPIRE WITHIN THE NEXT 90 DAYS PER THE M21 TAG SHOULD BE REPLACED.

XXXXX _____ (1) Automatic external defibrillator, ensure (AED) is installed in locking bracket, green seal intact and bit indicator showing correct status, i.e. not blinking red X, solid red X or chirping.

XXXXX _____ (2) Emergency medical kit (ENHANCED).

CABIN EQUIPMENT AND ZONAL INSPECTION

PAGE: 7 / 7

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 220I2501 (continued)

MECH: INSP:

XXXXX _____ (3) Go kit.

XXXXX _____ (4) Companion kit.

*****END OF WORKCARD*****