

ZONES: 100
 A/C NUMBER:
 REV. DATE: 11/01/07
 FREQUENCY: 1C

W/C NUMBER: 314L2701 DATE:

MFR P/N	DESCRIPTION	QTY
BMS3-33	GREASE, AIRCRAFT GENERAL PURPOSE	A/R

PANELS

112A

REFERENCES

Figure 1; AMM 29-11-00

MECH INSP

MPD ITEM: 27-186-00

LUBRICATE THE SPEEDBRAKE LEVER NO-BACK BRAKE.

A. Consumable Materials

(1) BMS 3-33 Grease, Aircraft General Purpose grease

B. References

(1) AMM TASK 29-11-00-860-805 p201, Hydraulic System A or B Power Removal

1. Auto Speed Brake Actuator Lever Brake Lubrication (Fig. 1)

XXXXX A. Prepare for Lubrication

(1) Make sure the systems A and B hydraulic power is off. To remove it, do this task: Hydraulic System A or B Power Removal (AMM TASK 29-11-00-860-805 p201).

(2) Open this circuit breaker and attach a DO-NOT-CLOSE tag:

(a) Circuit Breaker Panel, P6-2:

1) 6B9 FLIGHT CONTROL AUTO SPEED BRAKE

(3) Put the speed brake lever in the DOWN position.

XXXXX B. Auto Speed Brake Actuator Lever Brake Lubrication

(1) Apply a thin film of grease, BMS 3-33 to the auto speed brake lever brake mechanism [1].

XXXXX C. Put the Airplane Back to Its Usual Condition

(1) Remove the DO-NOT-CLOSE tag and close this circuit breaker:

SPEEDBRAKE LEVER NO-BACK BRAKE

PAGE:2 /2

A/C NUMBER:

CHECK BEING PERFORMED: Cust



W/C NUMBER: 314L2701 (continued)

MECH: INSP:

(a) Circuit Breaker Panel, P6-2:

1) 6B9 FLIGHT CONTROL AUTO SPEED BRAKE

*****END OF WORKCARD*****



1 → APPLY THIN LAYER OF GREASE

Auto Speed Brake Actuator Lever Brake Servicing