

ZONES: 200

W/C NUMBER: 320C0604

DATE:

A/C NUMBER:

REV. DATE: 11/27/07

FREQUENCY: 12C

REFERENCES

AMM 25-22-00, 25-27-01

MECH INSP

C4 Open and Close Card for Zone 200

1. Panel Number: 211A PANEL ASSY - CONTROL STAND ACCESS

- _____ XXXXX A. Open panel. Identify for reinstallation.
- _____ XXXXX B. Repair, replace or generate a non-routine
for all damaged fasteners, nutplates, etc.
- _____ XXXXX C. Clean panel.
- XXXXX _____ D. Inspect Panel.
- XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the
following cards and associated
non-routines is required prior to
closing panel:

321I2701 321I5301 390I3201

- _____ XXXXX F. Close panel.
- XXXXX _____ G. Inspect Installation.

2. Panel Number: 211B PANEL ASSY - CONTROL STAND ACCESS

- _____ XXXXX A. Open panel. Identify for reinstallation.
- _____ XXXXX B. Repair, replace or generate a non-routine
for all damaged fasteners, nutplates, etc.
- _____ XXXXX C. Clean panel.
- XXXXX _____ D. Inspect Panel.
- XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the
following card and associated
non-routines is required prior to
closing panel:

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 320C0604 (continued)

MECH: INSP:

321I2701

_____ XXXXX F. Close panel.

XXXXX _____ G. Inspect Installation.

3. Panel Number: 212A PANEL ASSY - CONTROL STAND ACCESS

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXX _____ D. Inspect Panel.

XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following card and associated non-routines is required prior to closing panel:

321I5301

_____ XXXXX F. Close panel.

XXXXX _____ G. Inspect Installation.

4. Panel Number: 231ZF PANEL ASSY - PASSENGER CABIN FLOOR ACCESS - (SEC 44)

_____ XXXXX A. Remove seats as required. Identify for reinstallation.

_____ XXXXX B. Remove panel covering as required.

_____ XXXXX C. Open panel. Identify for reinstallation.

_____ XXXXX D. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX E. Clean panel.

XXXXX _____ F. Inspect Panel.

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 320C0604 (continued)

MECH: INSP:

XXXXX _____ G. Okay to Close.

Note: Ensure no further access to the following cards and associated non-routines will be required prior to closing panel:

322I5303

_____ XXXXX H. Close panel.

XXXXX _____ I. Inspect Installation.

_____ XXXXX J. Install floor covering (AMM 25-27-01).

XXXXX _____ K. Inspect Installation.

_____ XXXXX L. Install seats (AMM 25-22-00).

XXXXX _____ M. Inspect Installation.

5. Panel Number: 232SF PANEL ASSY - PASSENGER CABIN FLOOR ACCESS - (SEC 44)

_____ XXXXX A. Remove seats as required. Identify for reinstallation.

_____ XXXXX B. Remove panel covering as required.

_____ XXXXX C. Open panel. Identify for reinstallation.

_____ XXXXX D. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX E. Clean panel.

XXXXX _____ F. Inspect Panel.

XXXXX _____ G. Okay to Close.

Note: Ensure no further access to the following cards and associated non-routines will be required prior to closing panel:

322I5303

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 320C0604 (continued)

MECH: INSP:

- _____ XXXXX H. Close panel.
 - XXXXX _____ I. Inspect Installation.
 - _____ XXXXX J. Install floor covering (AMM 25-27-01).
 - XXXXX _____ K. Inspect Installation.
 - _____ XXXXX L. Install seats (AMM 25-22-00).
 - XXXXX _____ M. Inspect Installation.
6. Panel Number: 241AF PANEL ASSY - PASSENGER CABIN FLOOR
ACCESS - (SEC 44)
- _____ XXXXX A. Remove seats as required. Identify for reinstallation.
 - _____ XXXXX B. Remove panel covering as required.
 - _____ XXXXX C. Open panel. Identify for reinstallation.
 - _____ XXXXX D. Repair, replace or generate a non-routine for all
damaged fasteners, nutplates, etc.
 - _____ XXXXX E. Clean panel.
 - XXXXX _____ F. Inspect Panel.
 - XXXXX _____ G. Okay to Close.

Note: Ensure no further access to the following cards
and associated non-routines will be required
prior to closing panel:

322I5303

- _____ XXXXX H. Close panel.
- XXXXX _____ I. Inspect Installation.
- _____ XXXXX J. Install floor covering (AMM 25-27-01).
- XXXXX _____ K. Inspect Installation.
- _____ XXXXX L. Install seats (AMM 25-22-00).

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 320C0604 (continued)

MECH: INSP:

XXXXX _____ M. Inspect Installation.

7. Panel Number: 241BF PANEL ASSY - PASSENGER CABIN FLOOR ACCESS - (SEC 44)

_____ XXXXX A. Remove seats as required. Identify for reinstallation.

_____ XXXXX B. Remove panel covering as required.

_____ XXXXX C. Open panel. Identify for reinstallation.

_____ XXXXX D. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX E. Clean panel.

XXXXX _____ F. Inspect Panel.

XXXXX _____ G. Okay to Close.

Note: Ensure no further access to the following cards and associated non-routines will be required prior to closing panel:

322I5303

_____ XXXXX H. Close panel.

XXXXX _____ I. Inspect Installation.

_____ XXXXX J. Install floor covering (AMM 25-27-01).

XXXXX _____ K. Inspect Installation.

_____ XXXXX L. Install seats (AMM 25-22-00).

XXXXX _____ M. Inspect Installation.

8. Panel Number: 241CF PANEL ASSY - PASSENGER CABIN FLOOR ACCESS - (SEC 44)

_____ XXXXX A. Remove seats as required. Identify for reinstallation.

_____ XXXXX B. Remove panel covering as required.

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 320C0604 (continued)

MECH: INSP:

- _____ XXXXX C. Open panel. Identify for reinstallation.
- _____ XXXXX D. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.
- _____ XXXXX E. Clean panel.
- XXXXX _____ F. Inspect Panel.
- XXXXX _____ G. Okay to Close.

Note: Ensure no further access to the following cards and associated non-routines will be required prior to closing panel:

322I5303

- _____ XXXXX H. Close panel.
- XXXXX _____ I. Inspect Installation.
- _____ XXXXX J. Install floor covering (AMM 25-27-01).
- XXXXX _____ K. Inspect Installation.
- _____ XXXXX L. Install seats (AMM 25-22-00).
- XXXXX _____ M. Inspect Installation.

9. Panel Number: 241DF PANEL ASSY - PASSENGER CABIN FLOOR ACCESS - (SEC 44)

- _____ XXXXX A. Remove seats as required. Identify for reinstallation.
- _____ XXXXX B. Remove panel covering as required.
- _____ XXXXX C. Open panel. Identify for reinstallation.
- _____ XXXXX D. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.
- _____ XXXXX E. Clean panel.
- XXXXX _____ F. Inspect Panel.

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 320C0604 (continued)

MECH: INSP:

XXXXX _____ G. Okay to Close.

Note: Ensure no further access to the following cards and associated non-routines will be required prior to closing panel:

322I5303

_____ XXXXX H. Close panel.

XXXXX _____ I. Inspect Installation.

_____ XXXXX J. Install floor covering (AMM 25-27-01).

XXXXX _____ K. Inspect Installation.

_____ XXXXX L. Install seats (AMM 25-22-00).

XXXXX _____ M. Inspect Installation.

10. Panel Number: 241EF PANEL ASSY - PASSENGER CABIN FLOOR ACCESS - (SEC 44)

_____ XXXXX A. Remove seats as required. Identify for reinstallation.

_____ XXXXX B. Remove panel covering as required.

_____ XXXXX C. Open panel. Identify for reinstallation.

_____ XXXXX D. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX E. Clean panel.

XXXXX _____ F. Inspect Panel.

XXXXX _____ G. Okay to Close.

Note: Ensure no further access to the following cards and associated non-routines will be required prior to closing panel:

322I5303

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 320C0604 (continued)

MECH: INSP:

-
- _____ XXXXX H. Close panel.
- XXXXX _____ I. Inspect Installation.
- _____ XXXXX J. Install floor covering (AMM 25-27-01).
- XXXXX _____ K. Inspect Installation.
- _____ XXXXX L. Install seats (AMM 25-22-00).
- XXXXX _____ M. Inspect Installation.
11. Panel Number: 241FF PANEL ASSY - PASSENGER CABIN FLOOR
ACCESS - (SEC 44)
- _____ XXXXX A. Remove seats as required. Identify for
reinstallation.
- _____ XXXXX B. Remove panel covering as required.
- _____ XXXXX C. Open panel. Identify for reinstallation.
- _____ XXXXX D. Repair, replace or generate a non-routine for all
damaged fasteners, nutplates, etc.
- _____ XXXXX E. Clean panel.
- XXXXX _____ F. Inspect Panel.
- XXXXX _____ G. Okay to Close.

Note: Ensure no further access to the following cards
and associated non-routines will be required
prior to closing panel:

322I5303

- _____ XXXXX H. Close panel.
- XXXXX _____ I. Inspect Installation.
- _____ XXXXX J. Install floor covering (AMM 25-27-01).
- XXXXX _____ K. Inspect Installation.
- _____ XXXXX L. Install seats (AMM 25-22-00).

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 320C0604 (continued)

MECH: INSP:

XXXXX _____ M. Inspect Installation.

12. Panel Number: 241ZFC PANEL ASSY - PASSENGER CABIN
CEILING

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine
for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXX _____ D. Inspect Panel.

XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the
following card and associated
non-routines is required prior to
closing panel:

322I2502

_____ XXXXX F. Close panel.

XXXXX _____ G. Inspect Installation.

13. Panel Number: 242AF PANEL ASSY - PASSENGER CABIN FLOOR
ACCESS - (SEC 44)

_____ XXXXX A. Remove seats as required. Identify for
reinstallation.

_____ XXXXX B. Remove panel covering as required.

_____ XXXXX C. Open panel. Identify for reinstallation.

_____ XXXXX D. Repair, replace or generate a non-routine for all
damaged fasteners, nutplates, etc.

_____ XXXXX E. Clean panel.

XXXXX _____ F. Inspect Panel.

XXXXX _____ G. Okay to Close.

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 320C0604 (continued)

MECH: INSP:

Note: Ensure no further access to the following cards and associated non-routines will be required prior to closing panel:

322I5303

- _____ XXXXX H. Close panel.
- XXXXX _____ I. Inspect Installation.
- _____ XXXXX J. Install floor covering (AMM 25-27-01).
- XXXXX _____ K. Inspect Installation.
- _____ XXXXX L. Install seats (AMM 25-22-00).
- XXXXX _____ M. Inspect Installation.

14. Panel Number: 242BF PANEL ASSY - PASSENGER CABIN FLOOR ACCESS - (SEC 44)

- _____ XXXXX A. Remove seats as required. Identify for reinstallation.
- _____ XXXXX B. Remove panel covering as required.
- _____ XXXXX C. Open panel. Identify for reinstallation.
- _____ XXXXX D. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.
- _____ XXXXX E. Clean panel.
- XXXXX _____ F. Inspect Panel.
- XXXXX _____ G. Okay to Close.

Note: Ensure no further access to the following cards and associated non-routines will be required prior to closing panel:

322I5303

- _____ XXXXX H. Close panel.

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 320C0604 (continued)

MECH: INSP:

- XXXXX _____ I. Inspect Installation.
- _____ XXXXX J. Install floor covering (AMM 25-27-01).
- XXXXX _____ K. Inspect Installation.
- _____ XXXXX L. Install seats (AMM 25-22-00).
- XXXXX _____ M. Inspect Installation.

15. Panel Number: 242CF PANEL ASSY - PASSENGER CABIN FLOOR
ACCESS - (SEC 44)

- _____ XXXXX A. Remove seats as required. Identify for
reinstallation.
- _____ XXXXX B. Remove panel covering as required.
- _____ XXXXX C. Open panel. Identify for reinstallation.
- _____ XXXXX D. Repair, replace or generate a non-routine for all
damaged fasteners, nutplates, etc.
- _____ XXXXX E. Clean panel.
- XXXXX _____ F. Inspect Panel.
- XXXXX _____ G. Okay to Close.

Note: Ensure no further access to the following cards
and associated non-routines will be required
prior to closing panel:

322I5303

- _____ XXXXX H. Close panel.
- XXXXX _____ I. Inspect Installation.
- _____ XXXXX J. Install floor covering (AMM 25-27-01).
- XXXXX _____ K. Inspect Installation.
- _____ XXXXX L. Install seats (AMM 25-22-00).
- XXXXX _____ M. Inspect Installation.

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 320C0604 (continued)

MECH: INSP:

16. Panel Number: 242DF PANEL ASSY - PASSENGER CABIN FLOOR
ACCESS - (SEC 44)

- _____ XXXXX A. Remove seats as required. Identify for
reinstallation.
- _____ XXXXX B. Remove panel covering as required.
- _____ XXXXX C. Open panel. Identify for reinstallation.
- _____ XXXXX D. Repair, replace or generate a non-routine for all
damaged fasteners, nutplates, etc.
- _____ XXXXX E. Clean panel.
- XXXXX _____ F. Inspect Panel.
- XXXXX _____ G. Okay to Close.

Note: Ensure no further access to the following cards
and associated non-routines will be required
prior to closing panel:

322I5303

- _____ XXXXX H. Close panel.
- XXXXX _____ I. Inspect Installation.
- _____ XXXXX J. Install floor covering (AMM 25-27-01).
- XXXXX _____ K. Inspect Installation.
- _____ XXXXX L. Install seats (AMM 25-22-00).
- XXXXX _____ M. Inspect Installation.

17. Panel Number: S2122 MANUAL EXTENSION ACCESS DOOR -
LANDING GEAR

- _____ XXXXX A. Open panel. Identify for reinstallation.
- _____ XXXXX B. Repair, replace or generate a non-routine
for all damaged fasteners, nutplates, etc.

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 320C0604 (continued)

MECH: INSP:

-
- _____ XXXXX C. Clean panel.
 - XXXXX _____ D. Inspect Panel.
 - XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the
following card and associated
non-routines is required prior to
closing panel:

370F3201

- _____ XXXXX F. Close panel.
- XXXXX _____ G. Inspect Installation.

***** END OF WORKCARD *****