

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 330C0605 (continued)

MECH: INSP:

345R4902 345Z4902

_____ XXXXX F. Close panel.

XXXXX _____ G. Inspect Installation.

3. Panel Number: 318BR TAIL CONE ACCESS DOOR

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXX _____ D. Inspect Panel.

XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following cards and associated non-routines is required prior to closing panel:

310I2701 331I4901 331I5302

_____ XXXXX F. Close panel.

XXXXX _____ G. Inspect Installation.

4. Panel Number: 322AL LEADING EDGE - VERT FIN

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXX _____ D. Inspect Panel.

XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following card and associated non-routines is required prior to

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 330C0605 (continued)

MECH: INSP:

closing panel:

332I5502

_____ XXXXX F. Close panel.

XXXXX _____ G. Inspect Installation.

5. Panel Number: 323AL DOOR ASSY - FWD CLOSEOUT VERT FIN

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXX _____ D. Inspect Panel.

XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following card and associated non-routines is required prior to closing panel:

332I5502

_____ XXXXX F. Close panel.

XXXXX _____ G. Inspect Installation.

6. Panel Number: 323BL PANEL ASSY - FIN TO BODY, VERT FIN

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXX _____ D. Inspect Panel.

XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 330C0605 (continued)

MECH: INSP:

following card and associated non-routines is required prior to closing panel:

332I5502

_____ XXXXX F. Close panel.

XXXXX _____ G. Inspect Installation.

7. Panel Number: 323CL PANEL ASSY - FIN TO BODY, VERT FIN

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXX _____ D. Inspect Panel.

XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following cards and associated non-routines is required prior to closing panel:

332I2701 332I5502

_____ XXXXX F. Close panel.

XXXXX _____ G. Inspect Installation.

8. Panel Number: 323DL ACCESS DOOR - INTER SPAR, VERT FIN

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXX _____ D. Inspect Panel.

XXXXX _____ E. Okay to Close.

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 330C0605 (continued)

MECH: INSP:

Note: Ensure no further access to the following card and associated non-routines is required prior to closing panel:

332I5502

_____ XXXXX F. Close panel.

XXXXX _____ G. Inspect Installation.

9. Panel Number: 323EL ACCESS DOOR - INTER SPAR, VERT FIN

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXX _____ D. Inspect Panel.

XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following card and associated non-routines is required prior to closing panel:

332I5502

_____ XXXXX F. Close panel.

XXXXX _____ G. Inspect Installation.

10. Panel Number: 323FL ACCESS DOOR - INTER SPAR, VERT FIN

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXX _____ D. Inspect Panel.

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 330C0605 (continued)

MECH: INSP:

XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following cards and associated non-routines is required prior to closing panel:

331F2702 332I2701 332I5502

_____ XXXXX F. Close panel.

XXXXX _____ G. Inspect Installation.

11. Panel Number: 323GL ACCESS DOOR - INTER SPAR, VERT FIN

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXX _____ D. Inspect Panel.

XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following card and associated non-routines is required prior to closing panel:

332I5502

_____ XXXXX F. Close panel.

XXXXX _____ G. Inspect Installation.

12. Panel Number: 324AL ACCESS PANEL - FIN TO BODY, VERT FIN

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 330C0605 (continued)

MECH: INSP:

- _____ XXXXX C. Clean panel.
- XXXXX _____ D. Inspect Panel.
- XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following cards and associated non-routines is required prior to closing panel:

332I2701 332I5502

- _____ XXXXX F. Close panel.
- XXXXX _____ G. Inspect Installation.

13. Panel Number: 324BL PANEL ASSY - TRAILING EDGE, VERT FIN

- _____ XXXXX A. Open panel. Identify for reinstallation.
- _____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.
- _____ XXXXX C. Clean panel.
- XXXXX _____ D. Inspect Panel.
- XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following cards and associated non-routines is required prior to closing panel:

332I2701 332I5502

- _____ XXXXX F. Close panel.
- XXXXX _____ G. Inspect Installation.

14. Panel Number: 324CL DOOR ASSY - TRAILING EDGE, VERT

- _____ XXXXX A. Open panel. Identify for reinstallation.

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 330C0605 (continued)

MECH: INSP:

_____ XXXXX B. Repair, replace or generate a non-routine
for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXX _____ D. Inspect Panel.

XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the
following cards and associated
non-routines is required prior to
closing panel:

330L2701 332I2701

_____ XXXXX F. Close panel.

XXXXX _____ G. Inspect Installation.

15. Panel Number: 324DL PANEL ASSY - TRAILING EDGE, VERT
FIN

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine
for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXX _____ D. Inspect Panel.

XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the
following cards and associated
non-routines is required prior to
closing panel:

332I2701 332I5502 390F2707

_____ XXXXX F. Close panel.

XXXXX _____ G. Inspect Installation.

16. Panel Number: 324HL DOOR ASSY - TRAILING EDGE, VERT

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 330C0605 (continued)

MECH: INSP:

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXXX _____ D. Inspect Panel.

XXXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following card and associated non-routines is required prior to closing panel:

332I5502

_____ XXXXX F. Close panel.

XXXXXX _____ G. Inspect Installation.

17. Panel Number: 332AT PANEL ASSY - GAP COVER HORIZONTAL STABILIZER

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXXX _____ D. Inspect Panel.

XXXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following card and associated non-routines is required prior to closing panel:

333I5502

_____ XXXXX F. Close panel.

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 330C0605 (continued)

MECH: INSP:

XXXXX _____ G. Inspect Installation.

18. Panel Number: 333AB DOOR ASSY - LOWER T/E - HORIZONTAL STABILIZER

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXX _____ D. Inspect Panel.

XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following card and associated non-routines is required prior to closing panel:

333I5502

_____ XXXXX F. Close panel.

XXXXX _____ G. Inspect Installation.

19. Panel Number: 333AT PANEL ASSY - GAP COVER HORIZONTAL STABILIZER

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXX _____ D. Inspect Panel.

XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following cards and associated non-routines is required prior to closing panel:

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 330C0605 (continued)

MECH: INSP:

330L2701 333I5502

_____ XXXXX F. Close panel.

XXXXX _____ G. Inspect Installation.

20. Panel Number: 333AZ DOOR ASSEMBLY

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXX _____ D. Inspect Panel.

XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following card and associated non-routines is required prior to closing panel:

333I5502

_____ XXXXX F. Close panel.

XXXXX _____ G. Inspect Installation.

21. Panel Number: 333BB DOOR ASSY - LOWER T/E - HORIZONTAL STABILIZER

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXX _____ D. Inspect Panel.

XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following cards and associated

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 330C0605 (continued)

MECH: INSP:

non-routines is required prior to closing panel:

333I2701 333I5502

_____ XXXXX F. Close panel.

XXXXX _____ G. Inspect Installation.

22. Panel Number: 333CB DOOR ASSY - LOWER T/E - HORIZONTAL STABILIZER

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXX _____ D. Inspect Panel.

XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following cards and associated non-routines is required prior to closing panel:

333I2701 333I5502

_____ XXXXX F. Close panel.

XXXXX _____ G. Inspect Installation.

23. Panel Number: 333DB DOOR ASSY - LOWER T/E - HORIZONTAL STABILIZER

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXX _____ D. Inspect Panel.

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 330C0605 (continued)

MECH: INSP:

XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following cards and associated non-routines is required prior to closing panel:

333I2701 333I5502

_____ XXXXX F. Close panel.

XXXXX _____ G. Inspect Installation.

24. Panel Number: 333EB DOOR ASSY - LOWER T/E - HORIZONTAL STABILIZER

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXX _____ D. Inspect Panel.

XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following card and associated non-routines is required prior to closing panel:

333I5502

_____ XXXXX F. Close panel.

XXXXX _____ G. Inspect Installation.

25. Panel Number: 334AB PANEL ASSY - HORIZONTAL STABILIZER SEAL, TRAILING EDGE TO ELEVATOR ACCESS

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 330C0605 (continued)

MECH: INSP:

- _____ XXXXX C. Clean panel.
- XXXXX _____ D. Inspect Panel.
- XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following card and associated non-routines is required prior to closing panel:

330L2701

- _____ XXXXX F. Close panel.
- XXXXX _____ G. Inspect Installation.

26. Panel Number: 334BB PANEL ASSY - HORIZONTAL STABILIZER SEAL, TRAILING EDGE TO ELEVATOR ACCESS

- _____ XXXXX A. Open panel. Identify for reinstallation.
- _____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.
- _____ XXXXX C. Clean panel.
- XXXXX _____ D. Inspect Panel.
- XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following card and associated non-routines is required prior to closing panel:

330L2701

- _____ XXXXX F. Close panel.
- XXXXX _____ G. Inspect Installation.

27. Panel Number: 334CB PANEL ASSY - HORIZONTAL STABILIZER SEAL, TRAILING EDGE TO ELEVATOR

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 330C0605 (continued)

MECH: INSP:

ACCESS

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXX _____ D. Inspect Panel.

XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following card and associated non-routines is required prior to closing panel:

330L2701

_____ XXXXX F. Close panel.

XXXXX _____ G. Inspect Installation.

28. Panel Number: 334DB PANEL ASSY - HORIZONTAL STABILIZER SEAL, TRAILING EDGE TO ELEVATOR ACCESS

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXX _____ D. Inspect Panel.

XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following card and associated non-routines is required prior to closing panel:

330L2701

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 330C0605 (continued)

MECH: INSP:

_____ XXXXX F. Close panel.

XXXXX _____ G. Inspect Installation.

29. Panel Number: 334EB PANEL ASSY - HORIZONTAL STABILIZER
SEAL, TRAILING EDGE TO ELEVATOR
ACCESS

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine
for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXX _____ D. Inspect Panel.

XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the
following card and associated
non-routines is required prior to
closing panel:

330L2701

_____ XXXXX F. Close panel.

XXXXX _____ G. Inspect Installation.

30. Panel Number: 334FB PANEL ASSY - HORIZONTAL STABILIZER
SEAL, TRAILING EDGE TO ELEVATOR
ACCESS

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine
for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXX _____ D. Inspect Panel.

XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 330C0605 (continued)

MECH: INSP:

following card and associated non-routines is required prior to closing panel:

330L2701

_____ XXXXX F. Close panel.

XXXXX _____ G. Inspect Installation.

31. Panel Number: 334GB PANEL ASSY - ELEVATOR HINGE COVER ACCESS

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXX _____ D. Inspect Panel.

XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following card and associated non-routines is required prior to closing panel:

330L2701

_____ XXXXX F. Close panel.

XXXXX _____ G. Inspect Installation.

32. Panel Number: 334HB PANEL ASSY - ELEVATOR HINGE COVER ACCESS

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXX _____ D. Inspect Panel.

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 330C0605 (continued)

MECH: INSP:

XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following card and associated non-routines is required prior to closing panel:

330L2701

_____ XXXXX F. Close panel.

XXXXX _____ G. Inspect Installation.

33. Panel Number: 334KB PANEL ASSY - ELEVATOR HINGE COVER ACCESS

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXXX _____ D. Inspect Panel.

XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following card and associated non-routines is required prior to closing panel:

330L2701

_____ XXXXX F. Close panel.

XXXXX _____ G. Inspect Installation.

34. Panel Number: 334MB PANEL ASSY - ELEVATOR HINGE COVER ACCESS

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 330C0605 (continued)

MECH: INSP:

- _____ XXXXX C. Clean panel.
- XXXXX _____ D. Inspect Panel.
- XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following card and associated non-routines is required prior to closing panel:

330L2701

- _____ XXXXX F. Close panel.
- XXXXX _____ G. Inspect Installation.

35. Panel Number: 334NB PANEL ASSY - ELEVATOR HINGE COVER ACCESS

- _____ XXXXX A. Open panel. Identify for reinstallation.
- _____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.
- _____ XXXXX C. Clean panel.
- XXXXX _____ D. Inspect Panel.
- XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following card and associated non-routines is required prior to closing panel:

330L2701

- _____ XXXXX F. Close panel.
- XXXXX _____ G. Inspect Installation.

36. Panel Number: 334PT PANEL ASSY - ELEVATOR HINGE COVER ACCESS

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 330C0605 (continued)

MECH: INSP:

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXXX _____ D. Inspect Panel.

XXXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following card and associated non-routines is required prior to closing panel:

333I2701

_____ XXXXX F. Close panel.

XXXXXX _____ G. Inspect Installation.

37. Panel Number: 342AT PANEL ASSY - GAP COVER HORIZONTAL STABILIZER

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXXX _____ D. Inspect Panel.

XXXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following card and associated non-routines is required prior to closing panel:

334I5502

_____ XXXXX F. Close panel.

XXXXXX _____ G. Inspect Installation.

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 330C0605 (continued)

MECH: INSP:

38. Panel Number: 343AB DOOR ASSY - LOWER T/E - HORIZONTAL STABILIZER

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXXX _____ D. Inspect Panel.

XXXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following card and associated non-routines is required prior to closing panel:

334I5502

_____ XXXXX F. Close panel.

XXXXXX _____ G. Inspect Installation.

39. Panel Number: 343AT PANEL ASSY - GAP COVER HORIZONTAL STABILIZER

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXXX _____ D. Inspect Panel.

XXXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following cards and associated non-routines is required prior to closing panel:

330L2701 334I5502

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 330C0605 (continued)

MECH: INSP:

_____ XXXXX F. Close panel.

XXXXX _____ G. Inspect Installation.

40. Panel Number: 343AZ DOOR ASSEMBLY

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXX _____ D. Inspect Panel.

XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following card and associated non-routines is required prior to closing panel:

334I5502

_____ XXXXX F. Close panel.

XXXXX _____ G. Inspect Installation.

41. Panel Number: 343BB DOOR ASSY - LOWER T/E - HORIZONTAL STABILIZER

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXX _____ D. Inspect Panel.

XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following cards and associated non-routines is required prior to

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 330C0605 (continued)

MECH: INSP:

closing panel:

334I2701 334I5502

_____ XXXXX F. Close panel.

XXXXX _____ G. Inspect Installation.

42. Panel Number: 343CB DOOR ASSY - LOWER T/E - HORIZONTAL STABILIZER

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXX _____ D. Inspect Panel.

XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following cards and associated non-routines is required prior to closing panel:

334I2701 334I5502

_____ XXXXX F. Close panel.

XXXXX _____ G. Inspect Installation.

43. Panel Number: 343DB DOOR ASSY - LOWER T/E - HORIZONTAL STABILIZER

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXX _____ D. Inspect Panel.

XXXXX _____ E. Okay to Close.

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 330C0605 (continued)

MECH: INSP:

Note: Ensure no further access to the following cards and associated non-routines is required prior to closing panel:

334I2701 334I5502

_____ XXXXX F. Close panel.

XXXXX _____ G. Inspect Installation.

44. Panel Number: 343EB DOOR ASSY - LOWER T/E - HORIZONTAL STABILIZER

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXX _____ D. Inspect Panel.

XXXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following card and associated non-routines is required prior to closing panel:

334I5502

_____ XXXXX F. Close panel.

XXXXX _____ G. Inspect Installation.

45. Panel Number: 344AB PANEL ASSY - HORIZONTAL STABILIZER SEAL, TRAILING EDGE TO ELEVATOR ACCESS

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 330C0605 (continued)

MECH: INSP:

- _____ XXXXX C. Clean panel.
- XXXXX _____ D. Inspect Panel.
- XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following card and associated non-routines is required prior to closing panel:

330L2701

- _____ XXXXX F. Close panel.
- XXXXX _____ G. Inspect Installation.

46. Panel Number: 344BB PANEL ASSY - HORIZONTAL STABILIZER SEAL, TRAILING EDGE TO ELEVATOR ACCESS

- _____ XXXXX A. Open panel. Identify for reinstallation.
- _____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.
- _____ XXXXX C. Clean panel.
- XXXXX _____ D. Inspect Panel.
- XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following card and associated non-routines is required prior to closing panel:

330L2701

- _____ XXXXX F. Close panel.
- XXXXX _____ G. Inspect Installation.

47. Panel Number: 344CB PANEL ASSY - HORIZONTAL STABILIZER SEAL, TRAILING EDGE TO ELEVATOR ACCESS

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 330C0605 (continued)

MECH: INSP:

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXXX _____ D. Inspect Panel.

XXXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following card and associated non-routines is required prior to closing panel:

330L2701

_____ XXXXX F. Close panel.

XXXXXX _____ G. Inspect Installation.

48. Panel Number: 344DB PANEL ASSY - HORIZONTAL STABILIZER SEAL, TRAILING EDGE TO ELEVATOR ACCESS

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXXX _____ D. Inspect Panel.

XXXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following card and associated non-routines is required prior to closing panel:

330L2701

_____ XXXXX F. Close panel.

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 330C0605 (continued)

MECH: INSP:

XXXXX _____ G. Inspect Installation.

49. Panel Number: 344EB PANEL ASSY - HORIZONTAL STABILIZER
SEAL, TRAILING EDGE TO ELEVATOR
ACCESS

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine
for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXXX _____ D. Inspect Panel.

XXXXXX _____ E. Okay to Close.

Note: Ensure no further access to the
following card and associated
non-routines is required prior to
closing panel:

330L2701

_____ XXXXX F. Close panel.

XXXXXX _____ G. Inspect Installation.

50. Panel Number: 344FB PANEL ASSY - HORIZONTAL STABILIZER
SEAL, TRAILING EDGE TO ELEVATOR
ACCESS

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine
for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXXX _____ D. Inspect Panel.

XXXXXX _____ E. Okay to Close.

Note: Ensure no further access to the
following card and associated

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 330C0605 (continued)

MECH: INSP:

non-routines is required prior to closing panel:

330L2701

_____ XXXXX F. Close panel.

XXXXX _____ G. Inspect Installation.

51. Panel Number: 344GB PANEL ASSY - ELEVATOR HINGE COVER ACCESS

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXX _____ D. Inspect Panel.

XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following card and associated non-routines is required prior to closing panel:

330L2701

_____ XXXXX F. Close panel.

XXXXX _____ G. Inspect Installation.

52. Panel Number: 344HB PANEL ASSY - ELEVATOR HINGE COVER ACCESS

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXX _____ D. Inspect Panel.

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 330C0605 (continued)

MECH: INSP:

XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following card and associated non-routines is required prior to closing panel:

330L2701

_____ XXXXX F. Close panel.

XXXXX _____ G. Inspect Installation.

53. Panel Number: 344KB PANEL ASSY - ELEVATOR HINGE COVER ACCESS

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXX _____ D. Inspect Panel.

XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following card and associated non-routines is required prior to closing panel:

330L2701

_____ XXXXX F. Close panel.

XXXXX _____ G. Inspect Installation.

54. Panel Number: 344MB PANEL ASSY - ELEVATOR HINGE COVER ACCESS

_____ XXXXX A. Open panel. Identify for reinstallation.

_____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 330C0605 (continued)

MECH: INSP:

- _____ XXXXX C. Clean panel.
- XXXXX _____ D. Inspect Panel.
- XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following card and associated non-routines is required prior to closing panel:

330L2701

- _____ XXXXX F. Close panel.
- XXXXX _____ G. Inspect Installation.

55. Panel Number: 344NB PANEL ASSY - ELEVATOR HINGE COVER ACCESS

- _____ XXXXX A. Open panel. Identify for reinstallation.
- _____ XXXXX B. Repair, replace or generate a non-routine for all damaged fasteners, nutplates, etc.
- _____ XXXXX C. Clean panel.
- XXXXX _____ D. Inspect Panel.
- XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the following card and associated non-routines is required prior to closing panel:

330L2701

- _____ XXXXX F. Close panel.
- XXXXX _____ G. Inspect Installation.

56. Panel Number: 344PT PANEL ASSY - ELEVATOR HINGE COVER ACCESS

- _____ XXXXX A. Open panel. Identify for reinstallation.

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 330C0605 (continued)

MECH: INSP:

_____ XXXXX B. Repair, replace or generate a non-routine
for all damaged fasteners, nutplates, etc.

_____ XXXXX C. Clean panel.

XXXXX _____ D. Inspect Panel.

XXXXX _____ E. Okay to Close.

Note: Ensure no further access to the
following card and associated
non-routines is required prior to
closing panel:

334I2701

_____ XXXXX F. Close panel.

XXXXX _____ G. Inspect Installation.

***** END OF WORKCARD *****