

CHECK BEING PERFORMED: Custom

ZONES: 119
 A/C NUMBER:
 REV. DATE: 06/16/04
 FREQUENCY: D
 AD NUMBER 2004-09-28

W/C NUMBER: 510I5303 DATE:
 W/O:
 JAC CODE:



| TOOLS | DESCRIPTION | QTY |
|-------------|-------------|-----|
| C-53-110-05 | | |

PANELS

| | | | | | | |
|-------|-------|-------|-------|-------|---------|-------|
| 231AB | 231CB | 223GB | 223CB | 223DB | 232DB-1 | 232AB |
| 224AB | 224DB | 232CB | 224CB | 224FB | 232NB | 233BB |
| 231BB | 231DB | 223BB | 223EB | 223FB | 231EB | 232EB |
| 224BB | 232BB | 232DB | 224EB | 232MB | 232PB | |

REFERENCES

FIG. 1 (L1011 GRAPHICS BOOK)

MECH INSP

- 1 VISUALLY INSPECT ALL THE FOLLOWING PRIMARY AND LISTED SECONDARY STRUCTURE FROM A DISTANCE CONSIDERED NECESSARY TO DETECT EARLY STAGES OF CORROSION. VISUALLY INSPECT ALL FUSELAGE FAILSAFE STRAPS AND LAP JOINTS FOR DISBONDING AND/OR CORROSION.

XXXXX _____ A INSPECT INTERIOR OF AREA ABOVE NLG COMPARTMENT AND PRESSURE DECK FS 328 THRU 449, AREA ABOVE ECS COMPARTMENT AND SIDEWALL ANGLES WHERE THEY MEET PRESSURE DECK LEFT AND RIGHT FOR CRACKS, CORROSION AND CONDITION.
 (AD 2004-09-28, CPCP TASK 53-110-05)

- 1 ENSURE DRAIN HOLES OR GAPS ARE NOT OBSTRUCTED.
- 2 FOR CRACKS, PERMANENT DEFORMATION, OR CORROSION TO PRIMARY STRUCTURE (REF. SRM CHAPTER 51); INITIATE A SERVICE DIFFICULTY REPORT (SDR) (REF. GMM, CHAPTERS 4 AND 12) AND RECORD THE ASSOCIATED NON ROUTINE CARD NUMBERS BELOW.

| | | | |
|-------|-------|-------|-------|
| _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ |

XXXXX _____ 2 DETAIL INSPECT PRESSURE DECK ABOVE NOSE LANDING GEAR WHEEL WELL FS 328 TO FS 449:

- A DETAIL INSPECT WEB AND STIFFENERS AT ATTACHMENTS TO FS 328 BULKHEAD.
- B VERTICAL STEP WEB, FS 378 BETWEEN WL 180 AND WL 190; WEB AND DOUBLERS ADJACENT TO DUCT CUTOUTS.

INSPECT AREA ABOVE NLG COMPARTMENT (PRESSURE DECK)

PAGE:2 /2

A/C NUMBER:

CHECK BEING PERFORMED: Cust

W/C NUMBER: 510I5303 (continued)

MECH: INSP:


C NOSE WHEEL WELL PRESSURE DECK FLOOR BEAMS FS 389, 409.
PARTICULAR ATTENTION TO JUNCTION OF THE BEAM LOWER CAPS AND
BEAM WEB (NOT REQUIRED ON L1011-385-3).

D AT ATTACHMENTS TO BL 22 L AND R VERTICAL WEBS, FS 328 AND
FS 449.

E WEB AND STIFFENERS AT ATTACHMENTS TO FS 449 BULKHEAD.
(SSI 53-01-11)
(SEE FIGURE 1)

XXXXX _____ 3 INSPECT ALL FUSELAGE CONTROL CABLES ABOVE PRESSURE DECK AREA.

*****END OF WORKCARD*****



1542295
1542296 REF.
MA 103 R1-0100-53-123

**NOSE LANDING GEAR WHEEL WELL, ELECTRONICS SERVICE CENTER
AND HEAT EXCHANGER COMPARTMENT
ATA CHAPTER 53 STRUCTURAL SIGNIFICANT ITEMS (SSI'S)
FIGURE 1**

REVISION DATE 10-28-95